




Contemporary Door Hardware

duraplus®




■ E5011

- HOPPE stainless steel bar-shaped pull handle:
- Supports: round, straight
  - Includes concealed pull handle fixing system no. 11 (46mm)

Length	Distance	Part Number
800mm (31.50")	560mm (22.05")	2010632
1200mm (47.24")	900mm (35.43")	2010974
1600mm (62.99")	1200mm (47.24")	2011029

duraplus®




■ E5012

- HOPPE stainless steel bar-shaped pull handle:
- Supports: round, inclined at an angle of 45°
  - Includes concealed pull handle fixing system no. 11 (46mm)

Length	Distance	Part Number
800mm (31.50")	560mm (22.05")	2011555
1200mm (47.24")	900mm (35.43")	2011598
1600mm (62.99")	1200mm (47.24")	2011678

duraplus®




## ■ E5511

HOPPE stainless steel bow-shaped pull handle:

- Supports: round, straight
- Includes concealed pull handle fixing system no. 11 (46mm)

Length	Distance	Part Number
800mm (31.50")	695mm (27.36")	2611059
1200mm (47.24")	1000mm (39.37")	2694851
1600mm (62.99")	1400mm (47.24")	2694860

duraplus®



## ■ E5766

HOPPE stainless steel bar-shaped pull handle:

- Supports: square, straight
- Includes concealed pull handle fixing system no. 11 (46mm)

Length/ Distance	Distance	Part Number
800mm (31.50")	560mm (22.05")	3975621
1200mm (47.24")	900mm (35.43")	3975647
1600mm (62.99")	1200mm (47.24")	3975663

# Mounting Hardware for Pulls




## ■ Fixing system no. 5 for pull handles (Back to Back)


HOPPE pull handle fixing system no. 5:

- For back-to-back fixing to aluminium, wood and PVC doors


Article description		Part Number
BS-501/B, piece	37-47 (1.46"-1.85")	600168
BS-502/B, piece	47-57 (1.85"-2.24")	763870
BS-503/B, piece	57-67 (2.25"-2.64")	646753
BS-504/B, piece	67-77 (2.64"-3.03")	649808



aluminium profile



wood profile



PVC profile

**Attention:**  
2 Pieces required per  
Pull Handle.




## ■ Fixing system no. 8 for pull handles (Through Bolt)


HOPPE pull handle fixing system no. 8:

- For one-side fixing with blind rose to aluminium, wood and PVC doors with the exception of single chamber profiles


Article description		Part Number
BS-810/B, piece	37-47 (1.46"-1.85")	6808521
BS-811/B, piece	47-57 (1.85"-2.24")	829316
BS-812/B, piece	57-67 (2.25"-2.64")	820641
BS-813/B, piece	67-77 (2.64"-3.03")	6808562



aluminium profile



wood profile



PVC profile

**Attention:**  
2 Pieces required per  
Pull Handle.




## ■ Fixing system no. 11 for pull handles (One Side Mount)


HOPPE pull handle fixing system no. 11:

- For one-side fixing to aluminium, wood and PVC doors with the exception of single-chamber profiles
- **Attention:** please observe deviating pre-chamber dimensions [V] for PVC profiles


Article description	V-measure	Threaded length	Part Number
BS-1101/short, piece	11-16	20mm (0.79")	1841717
BS-1103/short, piece	11-26	25 (0.98")	2149116
BS-1102/short, piece		46mm (1.81")	1841733



aluminium profile



wood profile




PVC profile

**Attention:**  
2 Pieces required per  
Pull Handle.

duraplus®




**Quick-Fit**



## Amsterdam - E1400Z/42H

HOPPE stainless steel handle half set on rose with mounting module for roses, for entrance doors (interior):


- Bearing: loose door handle, non-handed spring cassette, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle, pre-assembled in the base
- Base: steel, supporting lugs; suitable for aluminium, wood and PVC doors
- Fixing: concealed, additional diagonal 4-screw fixing option, for multi-purpose screws

Article description		Part Number
Door handle half set (interior) with supporting lugs	8/42	10809073

duraplus®




**Quick-Fit**



## Dallas - E1643Z/52

HOPPE stainless steel handle half set on rose with mounting module for roses, for entrance doors (interior):

- Bearing: loose door handle, non-handed spring cassette, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle, pre-assembled in the base
- Base: steel, supporting lugs; suitable for aluminium, wood and PVC doors
- Fixing: concealed, additional diagonal 4-screw fixing option, for multi-purpose screws

Article description		Part Number
Door handle half set (interior) with supporting lugs	8/42	3555749

## Screws - Used to install Interior Handles and Rosettes to door

Size	Length	Material	Finish	Part Number
#8	15.7mm (.625")	Stainless Steel	Stainless Steel	7506825

# Cylinder Rosettes






## E52ZNSB/52S

duraplus®

HOPPE stainless steel security escutcheon pair for entrance doors:

- Base: zamak outside, steel inside, supporting lugs
- Fixing: concealed, bolt-through, M5 thread screws

Article description		Keyhole	Part Number
Security escutcheon, pair	57-62 67-72		11537365






## E42ZNSB/42HS

duraplus®

HOPPE stainless steel security escutcheon pair for entrance doors:

- Base: zamak outside, steel inside, supporting lugs
- Fixing: concealed, bolt-through, M5 thread screws

Article description		Keyhole	Part Number
Security escutcheon, pair	57-62 67-72		11537218





## Spindle sleeve

HOPPE spindle sleeve

- To slide onto HOPPE spindles to increase spindle size
- Use with Egress Function Lock



		Length	Part Number
45mm - 56mm (1.77" - 2.20")	8/9	15 mm	1933419
> 56mm (> 2.20")	8/9	30 mm	524631

## Cylinders - Using E42 or E52 Rosettes above


### Center Eurogroove

Door Thickness		Center	
mm	(in.)	Centered	P/N
45	1.75"	35.5/40.5	11645556
57	2.25"	40.5/45.5	11645544
76	3"	50.5/55.5	11645568

### Offset Eurogroove

Door Thickness		Inswing		Outswing	
mm	(in.)	Offset	P/N	Offset	P/N
57	2.25"	35.5/50.5	11645520	45.5/40.5	11645532
76	3"	35.5/70.5	11645575*	65.5/40.5	11645581*

\*non-stock special order items with extended lead times



Stainless Steel  
E- Knob

# Key-Operated Multipoint Locks and Strikes



## ■ Standard Function

- Rotate the exterior key or interior thumb turn two turns to lock and unlock the door. The exterior key or interior thumb turn retracts the latch. The interior lever also retracts the latch.
- 8 mm handle shaft

Backset	Handle Height	Panel Height	Faceplate Width	Material	Part Number
45	1020mm (40.2")	1870-2170mm (73.62"-85.43")	24	Stainless Steel	40005775
45	1020mm (40.2")	2170-2400mm (85.43"-94.49")	24	Stainless Steel	40005781

## ■ Egress Function

- The interior lever retracts the latch and any extended bolts. Rotate the exterior key or interior thumb turn two turns to lock and unlock the door. The exterior key or interior thumb turn also retracts the latch.
- 9 mm handle shaft

Backset	Handle Height	Panel Height	Faceplate Width	Material	Part Number
45	1020mm (40.2")	1870-2170mm (73.62"-85.43")	24	Stainless Steel	40005756
45	1020mm (40.2")	2170-2400mm (85.43"-94.49")	24	Stainless Steel	40005768

## ■ Latch & Deadbolt Strike

Handing	Material	Part Number
Left Hand	Stainless Steel	40005847
Right Hand	Stainless Steel	40005859

## ■ Roundbolt/Swing Hook Strike

Handing	Material	Part Number
Non Handed	Stainless Steel	40005860

## ■ 45mm Roller Latch

Handing	Material	Part Number
Non Handed	Die Casted Zinc	40006001

**NOTE:** Roller Latch can only be used on the Standard Function Gear.



Round Bolt/Swing Hook Locking System



Left Hand Latch & Deadbolt Strike viewed from Top



Roller Latch

HOPPE North America, Inc.  
205 E. Blackhawk Drive • Fort Atkinson, WI 53538-1268 USA  
Tel. 920-563-2626 • [www.us.hoppe.com](http://www.us.hoppe.com)  
Fax 920-563-4408 • [info.us@hoppe.com](mailto:info.us@hoppe.com)  
1-888-485-4885